



Rock Breaker

Model:US1.5 (HF85, HF100, HF135)
Work Pressure: 13-16Mpa
Drill rod diameter: 85mm
Work flow: 60-100 L/min



Product Feature

- Flexible , Wide application range
- Simplify the tunnel structure
- Adopt articulated structure, reduces failure rate;
- The machine reasonably structured and has light weight



Main Component

- The Nearest Vertical Distance :2080mm
- The Farrest Vertical Diatance :4680mm
- Vertical Working Span:2600mm



Product Advantage

Economical and energy-saving
Safe and reliable
Low maintenance cost



Matching system

The following systems can be customized according to customer requirements

- Self-lubrication system
- Fire extinguishing system

Гидромолот производства Китай

Электродвигатель производства Китай

Опционально - **система дистанционного управления**



Модель	HF85	HF100	HF135
Диаметр пика, мм.	85	100	135
Рабочее давление, Мра.	13-16	15-17	16-18
Производительность насоса, Л/мин.	60-100	80-110	145-180
Частота удара, врт.	400-800	350-700	400-600
Угол поворота, градус	±70°	±70°	±70°
Электродвигатель, кВт.	45	75	90
Тип стрелы, м.	2,5 / 2	3 / 2,5	3,5 / 3
Наименьшее горизонтальное расстояние, мм	2495	2080	2902
Наибольшее горизонтальное расстояние, мм	4755	4680	5624
Объём, тонн/ч.	Около 35	Около 50	Около 60

